
Web History | Search settings | Sign in



1. What's New in Cisco PIX Firewall 7.0 > What's New in Cisco PIX ...

Jun 10, 2005 ... Transparent Firewall Mode PIX firewalls have always operated on IP ... Transparent mode makes the firewall act more like a Layer 2 bridge, where packets are handled by MAC addresses. .... By Earl Carter; Feb 15, 2002 ... www.ciscopress.com .... Network Technology > Security - Cached - Similar

2. Re: "transparent" firewall possible?

Show options...

Feb 8, 2002 ... That where the layer 2 firewall comes in handy. Matt. ... February 08, 2002 6:04 PM Subject: Re: "transparent" firewall possible? also ... www.mail-archive.com/debian-isp@lists.debian.../msg05320.html - <u>Qached</u>

3. Re: "transparent" firewall possible?

Re: "transparent" firewall possible? martin f krafft. Sun, 10 Feb 2002 10:05:50 - 0600 ... That where the layer > 2 firewall comes in handy. SNAT/DNAT. ... www.maii-archive.com/debian-sp@lists.debian.../msg20605.html - Cached

\_ ....

Show more results from www.mail-archive.com

4. Stealth Firewall, IDS, and syslog server? - LinuxQuestions.org

9 posts - 3 authors - Last post: Nov 8, 2003

Apparently you can't have a **transparent firewall** if your going to be using NAT. ... How can you use NAT with what is essentially a **layer-2** device? ... and of course that would defeat the purpose of being a **bridging firewall**. .... GUI Firewall/IDS, netmatrix0, Linux - Security, 7, 12-07-**2002** 10:18 PM ... www.linuxguestions.org/.../stealth-firewall-ids-and-syslog-server-113618/ - <u>Cached</u>

5. ebtables/iptables interaction on a Linux-based bridge

Nov 9, 2003 ... Getting a **bridging firewall** on a 2.4.x kernel consists of patching the ... so the OSI **layer 2** (**Data link** layer), or layer 1 (Link layer, ... ebtables sourceforge net/or fw lat/fir fw lat/fml - Cached - Similar

### 6. articles:bridging firewall [LUG @ UD]

Jun 21, 2008 ... Greg Forte 1) - UD LUG presentation - 5/8/2002 ... A bridge is a data link layer (layer 2) device which listens for data frames on all interfaces and forwards them to the .... David Whitmarsh's "bridging firewall" guide. ... www.lug.udel.edu/dokuwiki/doku.php?id=articles.bridging\_firewall - <u>Cached</u>

#### 7. [Config] pix 6.3 to 7.0 Page 2 - dsireports.com

19 posts - 3 authors - Last post: Dec 19, 2007
You have to put it inline at **Layer 2** without allowing an alternate .... one sample configuration of "bump in wire" or **Transparent firewall**. ...
www.dsireports.com/forum/r19526779-Config-pix-63-to-70~start=20

#### 8. User Installed Network Equipment Policy

28 Aug 15 October 2002. I 1 . . . Background .... MAC - Media Access Control addresses, data link layer addresses, e.g., Ethernet addresses. ... It may be a Layer 2 device or bridging firewall, or it may be a Layer 3 device and forward ... www.net berkeley.edu/policy. /user\_installed\_netequip.html - Cachad - Similar


## 9. ASA Transparent Mode Question - Topic Powered by Social Strata

1 post - Last post: Jan 19

SleepDirt. Wise, Aged Ars Veteran. Registered: February 03, 2002 ... Isn't this going to be a purely Layer 2 transaction taking place out of ... So a transparent firewall is just a bridge that can inspect/block traffic. ... episterne arstechnica.com/eve/forums/a/loc/l/.../m/984001303041 - Cached

# Switch Virtual Interface for Cisco Integrated Services Routers ...

Provides LAN extension between remote sites; SVI is used as the Layer 2 tunnel termination point ... Transparent Firewall is only supported between a VLAN and WAN interfaces. .... Current configuration: 2002 bytes ... www.cisco.com/../prod\_white\_paper0900aecd8064c9f4.html - <u>Cached - Similar</u>



("bridging firewall" OR "transparent firewall") AND ("data link" OR "layer 2") 2003 Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google